

Do your own work. There are up to 10 Bonus Points available. So choose the 10 points you want to try for and write the word OMIT next to all the ones you don't.

1. (10 pts) Solve the system of linear equations by the elimination method:

$$\begin{aligned} 2(x - 2y + 3z) &= 13 \\ -2x + 5y - 7z &= -30 \\ 6x - 15y + 20z &= 83 \end{aligned}$$

$$\begin{array}{r} 2E1 \quad 2x - 4y + 6z = 26 \\ E2 \quad -2x + 5y - 7z = -30 \\ \hline 2E1 + E2 \quad y - z = -4 \end{array}$$

2nd system

$$\begin{aligned} x - 2y + 3z &= 13 \\ 3(y - z) &= -12 \\ -3y + 2z &= -5 \end{aligned}$$

$$\begin{array}{r} -6(x - 2y + 3z) = -78 \\ E3 \quad 6x - 15y + 20z = 83 \\ \hline -3y + 2z = 5 \end{array}$$

3rd system

$$\begin{aligned} x - 2y + 3z &= 13 \\ y - z &= -4 \\ z &= 7 \end{aligned}$$

$$\begin{array}{r} 3E2 \quad 3y - 3z = -12 \\ -3y + 2z = 5 \\ \hline -z = -7 \\ z = 7 \end{array}$$

$$y - (7) = -4$$

$$y = 3$$

$$x - 2(3) + 3(7) = 13$$

$$x - 6 + 21 = 13$$

$$x + 15 = 13$$

$$x = -2$$

$$(x, y, z) \in \{(-2, 3, 7)\}$$

2. Solve the absolute value inequalities.

a. (5 pts) $|2x-7| < 11$

$$2x-7 < 11 \quad \text{AND} \quad 2x-7 > -11$$

$$2x < 18 \quad \text{AND} \quad 2x > -4$$

$$x < 9 \quad \text{AND} \quad x > -2$$

$$\left\{ x \mid x < 9 \text{ AND } x > -2 \right\}$$

$$= (-2, 9)$$

b. (5 pts) $|2x-7| < -11$

\emptyset

3. Multiply:

a. (5 pts) $(x-2)(x+7) = x^2 + 7x - 2x - 14 = x^2 + 5x - 14$

b. (5 pts) $(2x-3)(x^2+5x-7) = 2x^3 + 10x^2 - 14x - 3x^2 - 15x + 21$

$$2x^3 + 7x^2 - 29x + 21$$

4. Solve by factoring:

a. (5 pts) $x^2 - 9 = 0$

$$(x-3)(x+3) = 0$$

$$x-3=0 \quad \text{OR} \quad x+3=0$$

$$x=3 \quad \text{OR} \quad x=-3$$

$$x \in \{3, -3\}$$

b. (5 pts) $x^2 - 5x - 14 = 0$

$$x^2 - 7x + 2x - 14 = 0$$

$$x(x-7) + 2(x-7) = 0$$

$$(x-7)(x+2) = 0$$

$$x=7 \quad \text{OR} \quad x=-2$$

$$x \in \{-2, 7\}$$

$$-5 = -6 + 1 \quad -6$$

$$= -7 + 2 \quad -14$$

5. (5 pts) Simplify $\left(\frac{2x^{-2}y^3z^5}{x^{-5}y^7z^{-5}}\right)^8$. Your final answer should involve only positive exponents.

$$= \left(\frac{2x^5y^3z^5}{x^2y^7z^5}\right)^8 = \left(\frac{2x^3z^0}{y^4}\right)^8$$


$a^{-b} = \frac{1}{a^b}$, $\frac{1}{a^b} = \frac{1}{a^b}$
 $a^b a^c = a^{b+c}$
 $\frac{a^b}{a^c} = a^{b-c}$
 $\frac{a^b}{a^c} = \frac{1}{a^{c-b}}$

$$= \frac{2^8 x^{24} z^{80}}{y^{32}}$$

$\left(\frac{a^b c^d}{e^f}\right)^g = \frac{a^{bg} c^{dg}}{e^{fg}}$

$2x + 5y \leq 10$

6. (5 pts) Graph the system of inequalities $x \geq 0$
 $y \geq 0$



$2x + 5y = 10$

x	y
0	2
5	0

$0 \leq 10$?

Yes,


(0,0) good

Bonus – Answer up to 10 points'-worth

① **Bonus (5 pts)** Graph the piecewise-defined function $f(x) = \begin{cases} -\sqrt{x+2} + 4 & \text{if } x < 0 \\ 2x - 2 & \text{if } x \geq 0 \end{cases}$ $(0, -\sqrt{2} + 4)$ $(0, -2)$

② **Bonus (5 pts)** Find the *real* solution of the equation $x^3 - 64 = 0$ by factoring.

③ **Bonus (5 pts)** Find an equation of the line through $(-6, 7)$ that is perpendicular to the line through $(2, 1)$ and $(-5, 6)$.



② $x^3 - 64 = x^3 - 4^3$
 $= (x - 4)(x^2 + 4x + 16) = 0 \Rightarrow$
 $x = 4$

③ $m = \frac{6-1}{-5-2} = \frac{5}{-7} = m \Rightarrow m_{\perp} = \frac{7}{5}$

$\Rightarrow y = m_{\perp}(x - x_1) + y_1$
 $y = \frac{7}{5}(x + 6) + 7$