

MAT 121
100 Points Covers Chapter 1

Test 1 - Fall, 2013

(5 pts) Name _____

Find all real or imaginary solutions in #s 1 - 5..

1. (5 pts) $3x+2=-x-5$

$+x -2 = +x -2$

$$\begin{aligned} 4x &= -7 \\ x &= -\frac{7}{4} \end{aligned}$$

2. (5 pts) $\frac{2}{3}x - \frac{1}{4} = \frac{5}{6}$

LCD: 12
= 2 · 2 · 3

$\frac{2x}{3} \cdot \frac{4}{4} - \frac{1}{4} \cdot \frac{3}{3} = \frac{5}{6} \cdot \frac{2}{2}$

$\frac{8x-3}{12} = \frac{10}{12}$

$8x-3=10$

$8x=13$

$x = \frac{13}{8}$

3. (5 pts) $3x^2=5$

$x^2 = \frac{5}{3}$

$x = \pm \sqrt{\frac{5}{3}}$

4. (5 pts) $3x^2+6x+13=0$

$a=3, b=6, c=13$

$b^2-4ac = 6^2 - 4(3)(13)$

$= 36 - 156$

$= -120$

$\sqrt{-120} = 2\sqrt{30}i$

$x = \frac{-6 \pm 2\sqrt{30}i}{6}$

$\frac{130}{26}$

$2 \overline{) 20}$

$2 \overline{) 60}$

$2 \overline{) 30}$

$3 \overline{) 15}$

5

$\frac{-3 \pm \sqrt{30}i}{3}$

$\sqrt{30}i$

$a+bi = a+ib$

MAT 121-G11

Test 1 - Fall, 2013

Page 2

5. (10 pts) Compute the discriminant for each of the following equations and tell me what it tells you about the solutions of the equations, *without having to solve them*, i.e., don't solve.

a. $x^2 - 6x - 5 = 0$

$$a=1, b=-6, c=-5$$

$$b^2 - 4ac = 36 - 4(1)(-5)$$

$$= 36 + 20$$

$$= 56$$

2 real solns

(irrational)

56 isn't a perfect square.

b. $x^2 + 6x + 17 = 0$

$$a=1, b=6, c=17$$

$$b^2 - 4ac = 36 - 4(1)(17)$$

$$= 36 - 68 = -32$$

$$= -2 \cdot 2 \cdot 5$$

$$\sqrt{b^2 - 4ac} = -2i\sqrt{5}$$

Two Nonreal
solns

2 + 36i nonreal
complex.

6. (10 pts) Solve $x^2 + 6x - 17 = 0$ by completing the square.

$$x^2 + 6x = 17$$

$$x^2 + 6x + 3^2 = 17 + 9$$

$$(x+3)^2 = 26$$

$$x+3 = \pm\sqrt{26}$$

$$x = -3 \pm \sqrt{26}$$

7. (5 pts) Find an equation of the line through $(-3,1)$ and $(2,7)$. Point-slope is preferred, but not required.

$$y = \frac{7-1}{2+3} (x+3) + 1$$

$$= \frac{6}{5} (x+3) + 1$$

$$y = m(x-x_1) + y_1$$

MAT 121-G11

Test 1 - Fall, 2013

Page 3

8. (5 pts) Find an equation of the line thru (3,5) that is perpendicular to the line $y = \frac{4}{7}x - 11$.


$$y = -\frac{7}{4}(x-3) + 5$$

9. (5 pts) Sketch the graph of the line $y = \frac{4}{7}x - 11$.


$$\begin{array}{r|l} x & y \\ \hline 0 & -11 \\ \frac{77}{4} & 0 \end{array}$$

$$\frac{4}{7}x = 11$$


$$x = \frac{77}{4}$$



10. (5 pts) Sketch the graph of the line $x = 512$



11. (5 pts) Sketch the graph of the line $y = 11$



MAT 121-G11

Test 1 – Fall, 2013

Page 4

Solve the inequalities.

12. (5 pts) $-3x - 5 \geq 4$

$$\begin{array}{l} -3x \geq 9 \\ x \leq -3 \end{array}$$

13. (5 pts) $|2x - 3| \geq 7$

$$2x - 3 \geq 7 \text{ OR } 2x - 3 \leq -7$$

14. (5 pts) $|2x - 3| < 7$

$$2x - 3 < 7 \text{ and } 2x - 3 > -7$$

15. (5 pts) $|2x - 3| < -7$

16. (5 pts) $|2x - 3| \geq -7$

MAT 121-G11

Test 1 - Fall, 2013

Page 5

17. (5 pts) Suppose population growth in a small town is linear (a straight line). Also suppose the population was 10,000 in 1998 and 12,000 in 2011. Model the town's population (in thousands) as a function of time (in years after 1998). Then use your model to predict the population in 2014.

$y =$ population, in thousands, as function of
 $x =$ years after 1998

$$(x_1, y_1) = (0, 10)$$

$$(x_2, y_2) = (13, 12)$$

$$\begin{array}{r} 2011 \\ -1998 \\ \hline \end{array} \quad \begin{array}{r} 2014 \\ -1998 \\ \hline 16 \end{array}$$

$$m = \frac{y_2 - y_1}{x_2 - x_1} = \frac{12 - 10}{13 - 0} = \frac{2}{13}$$

$$y = \frac{2}{13}(x - 0) + 10 *$$

$$y = \frac{2}{13}x + 10$$

$$x = 16 \Rightarrow y = \frac{2}{13}(16) + 10$$

$$= \frac{32}{13} + \frac{130}{13} = \frac{162}{13}$$

Scientific
calculator
yes

Grapher:
No

18. (5 pts) How many liters of 15% alcohol must be added to 90 liters of 47% alcohol to obtain a mixture of 35% alcohol?

MAT 121-G11

Test 1 – Fall, 2013

Page 6

BONUS Page. Work *one* of the following. Expect one or all three types on the next test.

BONUS (10 pts) Suppose I take 5 hours to do a job that Kelli can do in 4 hours. Then on top of that, I start work one hour late! How many hours does Kelli end up spending on the job, until it's finished? Hint: If you take the average of our times, you're doing it wrong.



BONUS (10 pts) Re-write the function $f(x) = x^2 + 6x + 17$ in the form

$f(x) = a(x - h)^2 + k$. State the vertex of this parabola.

BONUS (10 pts) Re-write the function $g(x) = 3x^2 + 6x - 13$ in the form $g(x) = a(x - h)^2 + k$. State the vertex of this parabola.


31. $2x - 3 > 5$

32. $5 \geq 2x - 3$

33. $x + 1 \leq -3x - 7$

34. $x + 1 > -3x - 7$ $(-2, \infty)$

Solve the inequalities in Exercises 31–34 by reading the following graphs.



$$\frac{-2x-3}{-5} \geq 0 \rightarrow \frac{-(2x+3)}{-5} = \frac{2x+3}{5} \geq 0$$

Times -5

$$-2x-3 \leq 0$$

Times -1

$$2x+3 \geq 0$$


$$\#23 \quad \frac{2x-3}{-5} \geq 0$$

$$(-5) \left(\frac{2x-3}{-5} \right) \leq (-5)(0)$$

$$2x-3 \leq 0$$

$$2x \leq 3$$


$$x \leq \frac{3}{2}$$



$$2 < 7$$



$$-2 > -7$$



$$= (-\infty, 3/2]$$

$$(1, \infty)$$


$$= \{x \mid x > 1\}$$

$$\{x \mid x \leq 3\}$$

$$= (-\infty, 3]$$

Absolute Value Inequalities
Describing Intervals or union of intervals.

MID: $\frac{7+289}{2} = 148$



$\frac{289-7}{2} = \frac{282}{2} = 141$
= Radius

$|x-5|$ is the distance from x to 5.

$|x-mid| \leq \text{Radius}$

$|x-148| \leq 141$

$\frac{289-7}{2} = \frac{296}{2} = 148$




$\{x \mid |x-148| \leq 141\}$

Book answer for $\{1,7\}$ is $77-84$

$= \{x \mid 7 \leq x \leq 289\}$

$= [7, 289]$



$\{x \mid |x-148| > 141\}$

$= \{x \mid x < 7 \text{ OR } x > 289\}$

$= (-\infty, 7) \cup (289, \infty)$

