



5. (5 pts each) Compute the discriminant for each of the following quadratic and tell me the nature of solutions, specifically, how many distinct solutions there are and whether they're real or non-real. *Do not solve the equations.*

a.  $2x^2 - 5x + 18 = 0$



b.  $75x^2 - 35x - 6 = 0$



c.  $9x^2 - 24x + 16 = 0$

6. Solve by any method, but *show all work!!!*

a. (5 pts)  $75x^2 - 35x - 6 = 0$



b. (5 pts)  $x^2 - 5x + 7 = 0$

7. (5 pts) Solve  $x^2 - 8x - 12 = 0$  by completing the square.

8. (10 pts) Complete the square for  $f(x) = x^2 - 8x - 12$ , and re-write it in the form  $f(x) = a(x - h)^2 + k$ . This is very similar to what you just did in #7, but you're manipulating an expression, rather than solving an equation, here. Use your work to sketch a graph of  $f(x)$  that includes vertex,  $x$ - and  $y$ -intercepts, labeled as ordered pairs. I refuse to count tickmarks on the  $x$ - or  $y$ -axis.

9. (5 pts) Based on your work on #8, state the domain and range of  $f(x)$ .

10. (5 pts) State intervals of increase and decrease for  $f(x)$  from #s 8 and 9

11. (10 pts) Solve the inequality  $x^2 + 10x - 11 \leq 11x - 5$ .

12. (5 pts) Solve  $|3x - 2| \leq 11$ . Give your answer in set-builder *and* interval notation.

13. (5 pts) Solve  $|3x - 2| > 11$ . Give your answer in set-builder *and* interval notation.