

work: 1.3 - Equations and Graphs in Two Variables

<< < 1 2 3 4 5 6 7 8 9 10 > >>


Ex. Score: 0 of 1 pt

HW Score: 0% (0 of

Give the ordered pair (x,y) of the point shown on the grid and determine where it lies.

The ordered pair associated with the given point is .
(Type an ordered pair.)

$(-7,0)$
on x -axis.




Navigation bar with buttons 1 through 10. The number 3 is highlighted with a green checkmark, and the number 4 is highlighted with a yellow circle. Below the navigation bar, it says "Ex. Score: 0 of 1 pt" and "HW Score: 4.35".

For the point shown in the xy -plane, write the corresponding ordered pair and name the quadrant in which it lies or the axis on which it lies.

The ordered pair associated with the given point is .
(Type an ordered pair.)

$(-6, -5)$
Q III




Ex. Score: 0 of 1 pt HW Score: 8.7% (2 of 23 p

Find the distance between the two points and the midpoint of the line segment joining them.

(1,10) and (-2,14)

The distance between the two points is .

(Simplify your answer. Type an exact answer, using radicals as needed.)



$$b = y_2 - y_1$$

$$a = x_2 - x_1$$

$$c = \sqrt{a^2 + b^2}$$

$$= \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$$

= Distance from (x_1, y_1) to (x_2, y_2)

$$|c| = \sqrt{a^2 + b^2}$$

$$c = \pm \sqrt{a^2 + b^2}$$

Assume Distance is positive, then

$$c = \sqrt{a^2 + b^2}$$

Ex. Score: 0 of 1 pt HW Score: 8.7% (2 of 23 p

Find the distance between the two points and the midpoint of the line segment joining them.

(x_1, y_1) and (x_2, y_2)
 $(1, 10)$ and $(-2, 14)$


The distance between the two points is .

(Simplify your answer. Type an exact answer, using radicals as needed.)

$$\begin{aligned}
 D &= \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2} \\
 &= \sqrt{(-2 - 1)^2 + (14 - 10)^2} \\
 &= \sqrt{(-3)^2 + (4)^2} \\
 &= \sqrt{9 + 16} \\
 &= \sqrt{25} \\
 &= \boxed{5} = D
 \end{aligned}$$

Midpoint. Average the coordinates

$$\begin{aligned}
 &\left(\frac{x_1 + x_2}{2}, \frac{y_1 + y_2}{2} \right) \\
 &= \left(\frac{1 + (-2)}{2}, \frac{10 + 14}{2} \right) = \left(\frac{-1}{2}, \frac{24}{2} \right) = \left(-\frac{1}{2}, 12 \right)
 \end{aligned}$$



Find the distance between the pair of points. Also, find the midpoint of the line segment joining them.

$$(9,1), (9+5\sqrt{3},6)$$

$$(x_1, y_1) \quad (x_2, y_2)$$

$$(5\sqrt{3})^2 = 5^2 \sqrt{3}^2$$

$$= 25 \cdot 3 = 75$$

$$D = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$$

$$= \sqrt{(9+5\sqrt{3}-9)^2 + (6-1)^2}$$

$$= \sqrt{(5\sqrt{3})^2 + 5^2}$$

$$= \sqrt{75 + 25}$$

$$= \sqrt{100}$$

$$= \boxed{10 = D}$$

Midpoint

$$\left(\frac{x_1 + x_2}{2}, \frac{y_1 + y_2}{2} \right)$$

$$\left(\frac{9 + 9 + 5\sqrt{3}}{2}, \frac{1 + 6}{2} \right) = \left(\frac{18 + 5\sqrt{3}}{2}, \frac{7}{2} \right)$$

$$\text{OR } \frac{18}{2} + \frac{5\sqrt{3}}{2} = 9 + \frac{5\sqrt{3}}{2}$$

Find the distance between the pair of points. Also, find the midpoint of the line segment joining them.

$$\left(\frac{\pi}{4}, 2\right); \left(\frac{\pi}{2}, 0\right)$$

Find the distance.

$$\frac{\frac{\pi}{2} - \frac{\pi}{4}}{2} = \frac{\frac{\pi}{2} - \frac{\pi}{4}}{2} = \frac{\frac{2\pi - \pi}{4}}{2} = \frac{\pi}{4}$$

$$d = \square$$

(Simplify your answer. Type an exact answer, using π as needed.)

$$\begin{aligned} D &= \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2} \\ &= \sqrt{\left(\frac{\pi}{2} - \frac{\pi}{4}\right)^2 + (0 - 2)^2} \\ &= \sqrt{\left(\frac{\pi}{4}\right)^2 + (-2)^2} \quad \frac{4}{16} \cdot \frac{16}{16} = \frac{64}{16} \\ &= \sqrt{\frac{\pi^2}{16} + 4} \\ &= \sqrt{\frac{\pi^2}{16} + \frac{64}{16}} = \sqrt{\frac{\pi^2 + 64}{16}} \\ &= \frac{\sqrt{\pi^2 + 64}}{\sqrt{16}} = \frac{\sqrt{\pi^2 + 64}}{4} \quad \leftarrow \text{Can't be simplified any more.} \\ &= \frac{1}{4} \sqrt{\pi^2 + 64} \end{aligned}$$

Find the center and the radius of the circle. Then graph the circle.

$$x^2 + y^2 = 4$$

$$x^2 = (x-0)^2 \Rightarrow h=0$$

The center is .

(Type an ordered pair. Type an integer or a fraction.)


$$(h, k) = (0, 0)$$

$$r^2 = 4$$

$$r = 2$$

$\pm 2 \rightarrow +2$.
 r is positive
 distance.

circle of radius r is
 the set of all points
 a distance r from a
 fixed point $(h, k) = \text{center}$.



$$D = \sqrt{(x-h)^2 + (y-k)^2} = r$$

$$\sqrt{(x-h)^2 + (y-k)^2} = r$$

$$(x-h)^2 + (y-k)^2 = r^2$$

Standard Equation of circle!

Find the standard equation for the circle having the given center and radius.

Center (0,0)

$$x^2 + y^2 = 7^2$$

Radius 7

$$x^2 + y^2 = 49$$

Ex. Score: 0 of 1 pt HW Score: 1

Find the standard equation of the circle passing through a given point with a given center.


Center $(7,3)$ and passing through $(-4,-2)$

(h,k)

$(-4,-2) = (x,y)$

$$\begin{aligned} \sqrt{(x-h)^2 + (y-k)^2} &= r \quad \text{antipodal points} \\ &= \sqrt{(-4-7)^2 + (-2-3)^2} \\ &= \sqrt{(-11)^2 + (-5)^2} \\ &= \sqrt{121 + 25} \\ &= \sqrt{146} = r \rightarrow r^2 = 146 \end{aligned}$$

$$(x-7)^2 + (y-3)^2 = 146$$



$$r \approx 11.22497216$$



Find the center and the radius of the following circle.

$$x^2 + 12x + y^2 + 16y = 0$$

The center is .
(Type an ordered pair.)

$$(x-h)^2 + (y-k)^2 = r^2$$

$$x^2 + 12x + y^2 + 16y = 0$$

$$x^2 + 12x + 6^2 + y^2 + 16y + 3^2 = 0 + 36 + 9$$

$$(x+6)^2 + (y+3)^2 = 45$$

$$(x-h)^2 + (y-k)^2 = r^2$$

$$(h, k) = (-6, -3)$$

$$r = \sqrt{45}$$

$$= \sqrt{3 \cdot 3 \cdot 5}$$

$$= 3\sqrt{5} = r$$

Complete the square!

$$x^2 + bx = 0$$

$$x^2 + bx + \left(\frac{b}{2}\right)^2 = \frac{b^2}{4}$$

$$\left(x + \frac{b}{2}\right)^2 = \frac{b^2}{4}$$

$$\begin{aligned} \left(x + \frac{b}{2}\right)\left(x + \frac{b}{2}\right) &= x^2 + \frac{b}{2}x + \frac{b}{2}x + \left(\frac{b}{2}\right)\left(\frac{b}{2}\right) \\ &= x^2 + bx + \frac{b^2}{4} \end{aligned}$$

$$\begin{aligned} \left(\frac{b}{2} + \frac{b}{2}\right)x &= \frac{2b}{2}x \\ &= bx \end{aligned}$$

$$= x^2 + bx + \left(\frac{b}{2}\right)^2$$

$$3 \overline{)45}$$

$$3 \overline{)15}$$

$$45 \overline{)3 \cdot 3 \cdot 5}$$


<< < 11 12 13 14 15 16 17 18 19 20 > >>
 Ex. Score: 0 of 1 pt HW Score: 1

Determine the center and radius of the following circle and sketch the graph.

$$x^2 + y^2 = 6x + 8y$$

Use the graphing tool on the right to graph the equation.

$$\begin{aligned}
 x^2 - 6x + 3^2 + y^2 - 8y + 4^2 &= 0 + 9 + 16 \\
 (x-3)^2 + (y-4)^2 &= 25 & (h,k) &= (3,4) \\
 (x-3)^2 + (y-4)^2 &= 5^2 & r &= 5
 \end{aligned}$$




11
12
13
14
15
16
17
18
19
20

x. Score: 0 of 1 pt
HW Score: 13

Find the intercepts and then use them to graph the equation.

$$2x - 8 = y$$

Use the graphing tool to graph the line. Use the intercepts when drawing the line. If only one intercept exists, use it and another point to draw the line.




$$2x - 8 = y$$

$$2x - y = 8$$

x	y
0	8
4	0

$-y = 8$	$2x = 8$
$\frac{y = -8}{\downarrow}$	$\frac{x = 4}{\downarrow}$
(0, -8)	(4, 0)




← ← 11 12 13 14 15 16 17 18 19 20 → →
 x. Score: 0 of 1 pt HW Score: 13.0

Sketch the graph of the following linear equation. Be sure to find and show the x- and y-intercepts.

$$\frac{1}{5}y - \frac{1}{2}x = 200$$

Use the graphing tool to graph the line. Use the intercepts when drawing the line. If only one intercept exists, use it and another point to draw the line.



$\frac{1}{5}y - x = 200$
 $-\frac{1}{2}x = 200$
 $\frac{1}{5}y = 20$
 $\frac{y}{5} = \frac{200 \cdot 5}{1 \cdot 5}$
 $\frac{y}{5} = \frac{1000}{5}$
 $y = 1000$

x	y
0	1000
-400	0

$-\frac{1}{2}x = 200$
 $x = -400$

Ex. Score: 0 of 1 pt HW Score: 13.0

Sketch the graph of the following linear equation. Be sure to find and show the x- and y-intercepts.


$$0.02x + 0.04y = 80$$

Use the graphing tool to graph the line. Use the intercepts when drawing the line. If only one intercept exists, use it and another point to draw the line.

$$(.02x + .04y = 80)(100)$$

$$2x + 4y = 8000$$

x	y
0	2000
4000	0



11 12 13 14 15 16 17 18 19 20


x. Score: 0 of 1 pt

Graph the equation by plotting points.

$x = 6$

Use the graphing tool on the right to graph the equation.

 Click to enlarge graph




Navigation: << < 11 12 13 14 15 16 17 18 19 20

Ex. Score: 0 of 1 pt

Graph the equation by plotting points.

$$y - 2 = 0 \implies y = 2$$

Use the graphing tool to graph the equation.



<http://dlippman.imathas.com/graphcalc/graphcalc.html>

Use a graphing calculator to estimate the solution to the equation to two decimal places. Then find the solution algebraically and compare it with your estimate.


$$6.7 - 6.5(8.1x - 5.2) = 0$$

Analyze equation by analyzing $y = ax + b$

Find x -intercept for $y = 6.7 - 6.5(8.1x - 5.2)$

Use a graphing calculator to graph the equation. Choose the correct graph below.

A.



B.




C.



D.



All graphs are $[-10, 10, 1]$ by $[-10, 10, 1]$.



$$\begin{aligned} &6.7 - 6.5(8.1x - 5.2) \\ &= 6.7 - (6.5)(8.1)x + (6.5)(5.2) \\ &= -(6.5)(8.1)x + (6.7 + (6.5)(5.2)) \\ &= ax + b \\ &\text{Line w/ negative slope.} \end{aligned}$$

